


JASMINE CHANGING TABLE

Owner's Manual



Scan the QR code to register your product

<https://www.sweetpeababy.com/customer-care/product-registration/>



Read all instructions before
assembling and using product.
IMPORTANT - Keep instructions
for future use.


sweetpea baby

1221R1-6044AU

SAFETY TIPS



Adult Assembly
Required.



Small parts may
present choking
hazard prior to
assembly.




DO NOT use the
product if it is
damaged, broken,
and/or components are
missing or broken.



Please read the
instructions
thoroughly. Identify all
parts & hardware.



Do Not Use Power
Drills or Drivers.



To protect your parts
during assembly,
please place them on a
soft surface.



To clean surface, use
only water on a damp
cloth. Do not use
window cleaner or
cleaning abrasive as it
will scratch the surface
and could damage the
protective coating.



Always monitor your
child's activity in the
nursery or near
furniture.



Contact Sweetpea
Baby in case of any
assistance needed.

THANK YOU...

.... for choosing **Sweetpea Baby** and congratulations on joining our family;
a family that has been transforming lives for 30 years!

We appreciate your feedback and wish you the very best in the coming years with your new addition. If you have any questions or concerns please don't hesitate to reach out to us. One of our trusted Customer Care representatives will be happy to assist you.

Thank you again for entrusting us to provide you with safe and affordable baby products and accessories.

LIMITED WARRANTY:

- Sweetpea Baby warrants its product to be free from defects in material and workmanship and agrees to remedy any such defect.
- This warranty covers 1 year from the date of original purchase.
- This warranty is valid only upon presentation of proof of purchase.
- This is solely limited to the repair or replacement of defective furniture components and no assembly labor is included.
- This warranty does not apply to any product which has been improperly assembled, subjected to misuse or abuse or which has been altered or repaired in any way.
- This warranty gives you specific legal rights and you may also have other rights which vary from State to State.

WARNINGS

- **FAILURE TO FOLLOW THESE WARNINGS AND ASSEMBLY INSTRUCTIONS COULD RESULT IN SERIOUS INJURY OR DEATH.**
- READ ALL INSTRUCTIONS BEFORE ASSEMBLING CHANGING TABLE. KEEP INSTRUCTIONS FOR FUTURE USE. DO NOT USE THIS CHANGING TABLE IF THE INSTRUCTIONS CANNOT BE STRICTLY FOLLOWED.
- BEFORE EACH USE OR ASSEMBLY, INSPECT THE UNIT FOR DAMAGED HARDWARE, LOOSE JOINT, MISSING PARTS, OR SHARP EDGES. DO NOT USE THE UNIT IF ANY PARTS ARE MISSING OR DAMAGED. ASK YOUR DEALER OR CALL SWEETPEA BABY, 1532 S, WASHINGTON AVE, PISCATAWAY, TWP, NJ 08854 732-366-1788, USA, FOR REPLACEMENT PARTS AND INSTRUCTIONAL LITERATURE IF NEEDED. DO NOT SUBSTITUTE PARTS.
- DURING THE ASSEMBLY PROCESS WHENEVER USING SCREWS OR BOLTS, CHECK EACH BY PLACING THE SCREW/BOLT ON THE DIAGRAM OF THE ITEM WHICH IS DRAWN TO ACTUAL SIZE AND DESIGN.
- BE SURE TO USE THE PROPER SIZE AND SHAPE SPECIFIED IN THE INSTRUCTIONS.
- IT IS STRONGLY RECOMMENDED THAT ASSEMBLY BE DONE ON A SOFT, NON-ABRASIVE SURFACE TO AVOID DAMAGING THE FINISH.
- KEEP CHILDREN AND OTHERS SAFE BY FOLLOWING THESE SIMPLE RULES:
 - DO NOT ALLOW ANY CHILD TO PLAY ON FURNITURE.
 - DO NOT ALLOW CLIMBING ON ANY PIECE OF FURNITURE.
 - DO NOT ALLOW HANGING FROM ANY PIECE OF FURNITURE.
 - ALWAYS MONITOR YOUR CHILD'S ACTIVITY WHEN IN THE NURSERY.

CHOKING HAZARD: KEEP UNASSEMBLED PARTS OUT OF THE REACH OF SMALL CHILDREN. USE ONLY THE PARTS, HARDWARE, AND CHANGING PAD PROVIDED BY SWEETPEA BABY.

FALL HAZARD:

- TO PREVENT DEATH OR SERIOUS INJURY, ALWAYS KEEP THE CHILD WITHIN ARM'S REACH. NEVER LEAVE THE CHILD UNATTENDED.
- **USE ONLY PAD PROVIDED BY THE MANUFACTURER.**
- DO NOT USE CHANGING TABLE, ADD-ON CHANGING UNIT, OR CONTOURED CHANGING PAD IF IT IS DAMAGED OR BROKEN.
- MAXIMUM WEIGHT OF CHILD: 30 POUNDS (13.6 KG).
- ALWAYS USE THE SAFETY BELT PROVIDED; AND AS AN EXTRA PRECAUTION KEEP AT LEAST ONE HAND ON YOUR BABY AT ALL TIMES. DO NOT ALLOW ANY CHILDREN TO CLIMB OR PLAY ON THE TABLE. PERIODICALLY CHECK TO MAKE SURE ALL THE BOLTS AND SCREWS REMAIN TIGHT.

STRANGULATION HAZARD:


- STRINGS CAUSE STRANGULATION! DO NOT PLACE ITEMS WITH A STRING AROUND A CHILD'S NECK, SUCH AS HOOD STRINGS OR PACIFIER CORDS. DO NOT SUSPEND STRINGS OVER A CHANGING TABLE OR ATTACH STRINGS TO TOYS.
- TO HELP PREVENT STRANGULATION TIGHTEN ALL FASTENERS. A CHILD CAN TRAP PARTS OF BODY OR CLOTHING ON LOOSE FASTENERS.
- **DO NOT** PLACE CHANGING TABLE NEAR WINDOW WHERE CORDS FROM BLINDS OR DRAPES MAY STRANGLE A CHILD.
- INFANTS CAN SUFFOCATE ON SOFT BEDDING.
- NEVER ADD A PILLOW, COMFORTER OR PADDING.
- NEVER PLACE ADDITIONAL PADDING UNDER INFANT.
- NEVER USE PLASTIC SHIPPING BAGS OR ANY PLASTIC FILM AS MATTRESS COVERS, BECAUSE THEY CAN CAUSE SUFFOCATION.

WARNINGS (cont.)


- INFANTS CAN SUFFOCATE IN GAPS BETWEEN AN EXTRA PAD AND SIDE OF THE BASSINET/CHANGING TABLE, AND ON SOFT BEDDING. NEVER ADD A MATTRESS, PILLOW, COMFORTER, OR PADDING. USE ONLY THE PAD PROVIDED BY THE MANUFACTURER.
- IF A SHEET IS USED WITH THE PAD, USE ONLY THE ONE PROVIDED BY THE BASSINET OR CHANGING TABLE MANUFACTURER OR ONE SPECIFICALLY DESIGNED TO FIT THE DIMENSION OF THE BASSINET OR CHANGING TABLE MATTRESS. TO REDUCE THE RISK OF SIDS, PEDIATRICIANS RECOMMEND HEALTHY INFANTS BE PLACED ON THEIR BACKS TO SLEEP, UNLESS OTHERWISE ADVISED BY YOUR PHYSICIAN.
- DO NOT USE THIS CHANGING TABLE IF YOU CANNOT EXACTLY FOLLOW THE ACCOMPANYING INSTRUCTIONS.
- DO NOT USE THIS CHANGING TABLE FOR A CHILD WHO CAN CLIMB OUT OF IT OR WHO IS TALLER THAN 90 CM.
- DO NOT PLACE IN OR NEAR THIS CHANGING TABLE ANY CORD, STRAP OR SIMILAR ITEM THAT COULD BECOME WRAPPED AROUND A CHILD'S NECK.
- DO NOT PLACE THIS CHANGING TABLE NEAR A WINDOW OR A PATIO DOOR WHERE THE CHILD COULD REACH THE CORD OF A BLIND OR CURTAIN AND BE STRANGLER.
- CHECK THIS CHANGING TABLE REGULARLY BEFORE USING IT AND DO NOT USE IT IF ANY PARTS ARE LOOSE OR MISSING OR IF THERE ARE ANY SIGNS OF DAMAGE. DO NOT SUBSTITUTE PARTS. CONTACT THE MANUFACTURER IF REPLACEMENT PARTS OR ADDITIONAL INSTRUCTIONS ARE NEEDED.
- USE A CHANGING TABLE MATTRESS PAD THAT IS NO THICKER THAN 15 CM AND IS OF SUCH A SIZE THAT, WHEN IT IS PUSHED FIRMLY AGAINST ANY SIDE OF CHANGING TABLE, IT DOES NOT LEAVE A GAP OF MORE THAN 3 CM BETWEEN THE MATTRESS PAD AND ANY PART OF THE SIDES OF THE CHANGING TABLE.
- CHILDREN CAN SUFFOCATE ON SOFT BEDDING. DO NOT PLACE PILLOWS, COMFORTERS OR SOFT MATTRESS IN THIS CHANGING TABLE.

PARTS


If there are any missing parts, please contact **Sweetpea Baby** before using the product.




① Left End Frame




② Right End Frame



③ Top Back Rail




④ Top Front Rail



⑤ Top Shelf Front Support Rail



⑥ Top Shelf Back Support Rail



⑦ Middle and Bottom Front Rail (x2)




⑧ Middle Back Rail




⑨ Bottom Back Rail

PARTS (cont.)


If there are any missing parts, please contact **Sweetpea Baby** before using the product.




10 Upper Back Rail




11 Top Shelf Insert



12 Shelf Inserts (x2)




13 Mattress Pad




14 Middle and Lower Back Panel (x2)

HARDWARE


If there are any missing parts, please contact **Sweetpea Baby** before using the product.




A Bolt M6 X 75mm (x12)




B Bolt M6 X 20mm (x2)




C Washer (x2)




D Wooden Dowel (x10)



E Allen Key (x1)



F Nut (x2)




G Barrel Nut (x12)



H Restraint Harness

Tools Needed:



Philips Screw Driver (**NOT INCLUDED**)





Wrench (**NOT INCLUDED**)


CHANGING TABLE ASSEMBLY - RAILS ASSEMBLY

1


- 1a. Hold the Left End Frame (1) upright as shown in the diagram. Slide the Top Shelf Back Support Rail (6) into the grooves provided on the Left End Frame (1). Similarly, slide the Top Shelf Front Support Rail (5) into the second groove present in the Front.
- 1b. Align the Top Front Rail (4) at the first insertion on the Left End Frame. Similarly, align the Middle Back Rail (8), and Bottom Back Rail (9) at the back and align the Middle and Bottom Front Rails (7) at the front as shown in the diagram.
- 1c. Insert the Barrel Nut (G) into the inserts behind the rails, Wooden Dowel (D) into the side inserts and attach them using Bolt (A) and tighten the same using Allen Key (E).




D Wooden Dowel (x5)



A Bolt M6 X 75mm (x5)




G Barrel Nut (x5)



CHANGING TABLE ASSEMBLY - SHELF AND PANEL ASSEMBLY

2



- 2a. Place the Left End Frame (1) with the assembled rails on a soft surface on the floor as depicted in the diagram.
- 2b. Slide the Shelf Inserts (12) into the Bottom Rail and the Middle Rails. Slide in the Top Shelf Insert (11) into the Top Rails.
- 2c. Slide the Middle and Lower Back Panels (14) into the grooves as shown in the diagram.




CHANGING TABLE ASSEMBLY- RIGHT END FRAME ASSEMBLY

3


3a. Align the Right End Frame (2) as depicted in the diagram. Follow step [1], given above under attaching the rails. Ensure to use the hardware Barrel Nut (G), Wooden Dowel (D), and Bolt (A) in the right manner.




D Wooden Dowels (x5)



A Bolt M6 X 75mm (x5)







G Barrel Nut (x5)



CHANGING TABLE ASSEMBLY- TOP RAIL AND TOP TOP BACK PANEL ASSEMBLY

4

- 4a. Align the Top Back Panel (10) and Top Back Rail (3) as shown in the diagram.
- 4b. Insert the Barrel Nut (G) into the insertion provided from behind on both sides. Attach the Panel and Rail using the Bolt (A) on each side.






A Bolt M6 X 75mm (x5) **G** Barrel Nut (x2)


CHANGING TABLE ASSEMBLY- SAFETY RESTRAINT HARNESS ASSEMBLY

5


- 5a. Unlock the Restraint Harness Belts, place the belts below the top Panels as shown in the diagram. Bring the belt from behind the Top Rail onto the Top Panel. Similarly, pull the belt into the space between Top Panel and Top Front Rail so that the locking system at front hangs outside as depicted in the figure.
- 5b. Now, align the Nuts (F) below the Belt and the Washer (C) and the Bolt (B) from above the Top Panel so that the belts stay intact in their place.
- 5b. Tighten the Nuts using a wrench (not provided in the box), and tighten the Bolt (B) using the Allen Key (E). Follow the same step for the other side of the belt.



(B) Bolt M6 X 20mm (×2)



(F) Nuts (×2)





(C) Washers (×2)

CHANGING TABLE ASSEMBLY- MATTRESS PAD ASSEMBLY

6

- 6a. Place the Mattress Pad (13) onto the Top Shelf Insert (11) on top of the attached strap from step [5].
- 6b. Make sure that the locking system comes at the center. Adjust the length accordingly.



FURNITURE CARE INSTRUCTIONS

- TO CLEAN THIS PRODUCT USE ONLY MILD HOUSEHOLD SOAP AND WARM WATER.
- DO NOT USE BLEACH OR DETERGENT.
- DO NOT USE ABRASIVE CLEANERS WHICH CAN SCRATCH THE FINISH.
- WITH PROPER CARE, THE QUALITY FINISH WILL LAST A LONG TIME. WOOD SURFACES MAY BE TREATED WITH A LIGHT APPLICATION OF NON-TOXIC FURNITURE POLISH.
- DO NOT SCRATCH OR CHIP THE FINISH.
- INSPECT THE PRODUCT PERIODICALLY, CONTACT SWEETPEA BABY FOR REPLACEMENT PARTS OR QUESTIONS.
- DO NOT STORE THE PRODUCT OR ANY PARTS IN EXTREME TEMPERATURES AND CONDITIONS SUCH AS A HOT ATTIC OR A DAMP, COLD BASEMENT. THESE EXTREMES CAN CAUSE A LOSS OF STRUCTURAL INTEGRITY.
- TO PRESERVE THE LUSTER OF THE HIGH-QUALITY FINISH ON YOUR PRODUCT, IT IS RECOMMENDED TO PLACE A DOILY OR FELT PAD UNDER ANY ITEMS YOU PLACE ON THE FINISH.
- CLEAN WITH A DAMP CLOTH, THEN A DRY CLOTH TO PRESERVE THE ORIGINAL LUSTER AND BEAUTY OF THIS FINE FINISH.
- DO NOT USE ABRASIVE CHEMICALS.
- DO NOT SPRAY CLEANERS DIRECTLY ONTO THE FURNITURE.
- LIFT SLIGHTLY WHEN MOVING ON CARPETING TO PREVENT LEG BREAKAGE.
- THE USE OF A VAPORIZER NEAR FURNITURE WILL CAUSE THE WOOD TO SWELL AND FINISH TO PEEL.

RESTRAINT HARNESS SYSTEM USE:

- PLACE THE INFANT ON THE CHANGING TABLE FOAM PAD.
- POSITION THE RESTRAINT HARNESS OVER THE MIDDLE OF THE INFANT'S TORSO AND INSERT THE BUCKLED ENDS INTO EACH OTHER UNTIL THE LOCK SHUTS WITH A CLICK.
- GENTLY PULL THE LOOSE END OF THE STRAP TO LIGHTLY SNUG THE RESTRAINT HARNESS AROUND THE INFANT.

MAINTENANCE:

- CHECK FASTENERS PERIODICALLY FOR TIGHTNESS. DO NOT OVERTIGHTEN. THIS MAY CAUSE DISTORTION OR BREAKAGE.

WARNING:

FALL HAZARD: ALWAYS KEEP CHILD WITHIN ARMS REACH

YOU DID IT!
Congratulations Mom & Dad!

It's time to create your dream nursery. A safe, elegant handcrafted Changing Table that grows with your little one.



sweetpea baby

1532, S. Washington Avenue
Piscataway, NJ 08854
E-mail: info@sweetpeababy.com

www.sweetpeababy.com

Follow us on

 @Mysweetpeababy  @mysweetpea_baby
to get your nursery featured on our social media.

Enter our monthly giveaway!

Simply scan the QRcode to register.



Chat with us!

For any questions or concerns or feedback.

